

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Parasilico AM85-1T

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

DL CHEMICALS  
Roterijstraat 201-203  
B-8793 Waregem - Belgium  
T + 32 56 62 70 51 - F + 32 56 60 95 68  
[info@dl-chem.com](mailto:info@dl-chem.com) - [www.dl-chem.com](http://www.dl-chem.com)

#### 1.4. Emergency telephone number

Emergency number : + 32 70 245 245

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids Not classified

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.  
EUH208 - Contains N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine, Methyl tris-(methyl ethyl ketoximo) silane, 3-(2-aminoethylamino)propyltrimethoxysilane, Tetrakis(methylethylketoximino)silane, 3-aminopropyltriethoxysilane. May produce an allergic reaction.

#### 2.3. Other hazards

Contains PBT/vPvB substances >= 0.1% assessed in accordance with REACH Annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics	(CAS-No.) 1437280-85-7 (EC-No.) 940-734-7 (REACH-no) 01-2120078782-46	10 - 25	Asp. Tox. 1, H304

# Parasilico AM85-1T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methyl tris-(methyl ethyl ketoximo) silane	(CAS-No.) 22984-54-9 (EC-No.) 245-366-4 (REACH-no) 01-2119987100-43	1 - 5	Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 2, H373
Dodecamethylcyclohexasiloxaan substance listed as REACH Candidate (Dodecamethylcyclohexasiloxane (D6)) non-classified PBT substance non-classified vPvB substance	(CAS-No.) 540-97-6 (EC-No.) 208-762-8	0,1 - 1	Not classified

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Methyl tris-(methyl ethyl ketoximo) silane	(CAS-No.) 22984-54-9 (EC-No.) 245-366-4 (REACH-no) 01-2119987100-43	(C >= 3,755) Skin Sens. 1, H317

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove victim to fresh air.  
First-aid measures after skin contact : After contact with skin, wash immediately and thoroughly with water and soap.  
First-aid measures after eye contact : Rinse immediately with plenty of water. Seek medical attention if ill effect or irritation develops.  
First-aid measures after ingestion : Rinse mouth.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  
Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.  
Symptoms/effects after eye contact : Direct contact with the eyes is likely slightly irritating.  
Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire. Evacuate unnecessary personnel. Do not breathe fumes from fires or vapours from decomposition.  
Firefighting instructions : Cool down the containers exposed to heat with a water spray.  
Protection during firefighting : Wear a self contained breathing apparatus.  
Other information : Do not allow run-off from fire fighting to enter drains or water courses.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : [In case of inadequate ventilation] wear respiratory protection. Equip cleanup crew with proper protection.

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers.

# Parasilico AM85-1T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Handling temperature : 5 - 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, well-ventilated area.

Maximum storage period : 12 months

Storage temperature : 5 - 25 °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Time of penetration is to be checked with the glove producer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)		> 0,1		EN 374

Eye protection:

Type	Use	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Device	Filter type	Condition	Standard
Gas mask	ABEK	If conc. in air > exposure limit, Long term exposure	



Consumer exposure controls:

# Parasilico AM85-1T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Wash hands and other exposed areas with soap and water before leaving work.

Other information:

Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Colour	: According to product specification.
Odour	: characteristic.
Density	: 1,39 g/ml
Solubility	: Water: Negligible.

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal use.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

None under normal use.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Methyl tris-(methyl ethyl ketoximo) silane (22984-54-9)	
LD50 oral rat	2463 mg/kg (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg (OECD 402 method)

Dodecamethylcyclohexasiloxaan (540-97-6)	
LD50 oral rat	2000 mg/kg
LD50 dermal rat	2000 mg/kg

Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics (1437280-85-7)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

Methyl tris-(methyl ethyl ketoximo) silane (22984-54-9)	
NOAEL (animal/male, FO/P)	>= 250 mg/kg (OECD 422 method)

# Parasilico AM85-1T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methyl tris-(methyl ethyl ketoximo) silane (22984-54-9)	
NOAEL (animal/female, F0/P)	>= 250 mg/kg (OECD 422 method)

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Methyl tris-(methyl ethyl ketoximo) silane (22984-54-9)	
LOAEL (oral, rat, 90 days)	50 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	mg/kg bodyweight/day
NOAEL (subacute, oral, animal/male, 28 days)	10 mg/kg bodyweight (OECD 422 method)

Dodecamethylcyclohexasiloxaan (540-97-6)	
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day
LOAEC (inhalation, rat, gas, 90 days)	10 ppmv/6h/day

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

Methyl tris-(methyl ethyl ketoximo) silane (22984-54-9)	
LC50 fish 1	> 120 mg/l Oncorhynchus mykiss (Rainbow trout)
LC50 fish 2	972,34 mg/l (OECD 203 method)
EC50 Daphnia 1	231,84 mg/l (OECD 202 method)
EC50 72h algae (1)	18,45 mg/l (OECD 201 method)
ErC50 (algae)	72h 94 mg/l Pseudokirchneriella subcapitata
NOEC (acute)	57,67 mg/l (OECD 204 method)
NOEC (chronic)	>= 115,34 mg/l (OECD 211 method)
NOEC chronic fish	57,67 mg/l

Dodecamethylcyclohexasiloxaan (540-97-6)	
EC50 other aquatic organisms 1	> 420 mg/l
EC50 72h algae (1)	0,002 mg/l OECD 201
NOEC chronic fish	4,4 µg/l Pimephales promelas

Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics (1437280-85-7)	
LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 100 mg/l
EC50 72h algae (1)	> 100 mg/l

### 12.2. Persistence and degradability

Methyl tris-(methyl ethyl ketoximo) silane (22984-54-9)	
Biodegradation	28d 0 % (OECD 301A method)

### 12.3. Bioaccumulative potential

Methyl tris-(methyl ethyl ketoximo) silane (22984-54-9)	
Log Pow	9,83

Dodecamethylcyclohexasiloxaan (540-97-6)	
Log Pow	8,87
Log Kow	8

Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics (1437280-85-7)	
Log Pow	> 7,2

### 12.4. Mobility in soil

Methyl tris-(methyl ethyl ketoximo) silane (22984-54-9)	
Log Koc	5,481 EPA (Environmental Protection Agency)

### 12.5. Results of PBT and vPvB assessment

# Parasilico AM85-1T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Component	
Methyl tris-(methyl ethyl ketoximo) silane (22984-54-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Dodecamethylcyclohexasiloxaan (540-97-6)	This substance/mixture meets the PBT criteria of REACH regulation, annex XIII This substance/mixture meets the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.  
European List of Waste (LoW) code : 08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances  
08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

## SECTION 14: Transport information

In accordance with ADR

ADR	
14.1. UN number	Not applicable
14.2. UN proper shipping name	Not applicable
14.3. Transport hazard class(es)	Not applicable
14.4. Packing group	Not applicable
14.5. Environmental hazards	Not applicable
No supplementary information available	

### 14.6. Special precautions for user

- Overland transport  
Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Methyl tris-(methyl ethyl ketoximo) silane - Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Methyl tris-(methyl ethyl ketoximo) silane

Contains a substance on the REACH candidate list in concentration 0.1% or with a lower specific limit:  
Dodecamethylcyclohexasiloxane (D6) (EC 208-762-8, CAS 540-97-6)

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

# Parasilico AM85-1T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 16: Other information

Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. Not classified	Flammable liquids Not classified
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH208	Contains N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine, Methyl tris-(methyl ethyl ketoximo) silane, 3-(2-aminoethylamino)propyltrimethoxysilane, Tetrakis(methylethylketoximino)silane, 3-aminopropyltriethoxysilane. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

MSDS Reach Annex II DL-Chem

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product